

Price list**SUPER 1703-3i (4f) / Extending Screed VF 500-3 V****Scope of supply – basic machine****Drive Unit**

- Liquid-cooled Cummins 4-cylinder diesel engine, QSB4.5-C173, 173 hp (129 kW) at 2,000rpm
- Engine complies with the applicable exhaust emission standards of the European Union (COM) 4 and USA (EPA, CARB) Tier 4f
- Electronic engine management

Undercarriage

- Hydrostatic traction drive (separate drives for powered wheels) with electronic traction control
- 2 powered rear wheels with tubeless tyres 14.00 R 25
- 4 front wheels of solid elastic rubber, 540/300-390, mounted on bogies
- Second steering axle, powered (6x4)
- Extremely small turning radius (11 ft. 5 in. (3.5 m) outside) thanks to "Pivot Steer"
- Service brake (multiple-disk brake, hydraulically pressurized) and hydraulically actuated parking brake

Material Feed, Conveyors and Augers

- Wide push-rollers, can be displaced forwards by 6 in. (150mm)
- 14.3 tons (13 tonnes) material hopper
- Hopper apron hydraulically operated
- 4 separate hydraulic drives for conveyors and augers
- Mechanical sensors for controlling the conveyors, conveyors can briefly be reversed
- Sonic sensors for controlling the augers
- Augers hydraulically adjustable in height, complete with limiting plates for the auger tunnel and bracing
- Manual auger override
- Automatic filling function for the auger tunnel during breaks in paving
- 3 left hand and 3 right hand 1 ft. (30.5 cm) stackable augers for a total of 6 ft. of augers

Electrical System

- On-board voltage 24V

Screed Heating

- Three-phase AC generator, air-cooled with electronic generator management
- Screed is also heated when diesel engine is running at idle
- Screed heating with electronic temperature control

Operator's Platform

- 2 Luxury operator's seats including seat heating, with side paneling and armrests, can be pivoted outwards
- Operator's seats and console can be easily and conveniently adjusted for ergonomic working
- Modular ErgoPlus 3 paver operator's console; large high-contrast colour display ensures easy operation and monitoring of paver functions
- 2 ErgoPlus 3 screed consoles for the right and left-hand screed sides, with colour display for setting up and monitoring paver and screed functions

Miscellaneous

- Centralized lubrication system for tractor unit
- Machine documentation
- Crown is set hydraulically

Total price of basic configuration

Bolt-on extension	Pave width	Generator	Price
SUPER 1703-3i (4f) / Extending Screed VF 500-3 V			
Without bolt-on extensions	4.750	Generator, standard power output	USD 613,829.00
Bolt-on extensions, 2 x 1 ft.	5.350	Generator, standard power output	USD 624,686.00
Bolt-on extensions, 2 x 2 ft.	5.950	Generator, standard power output	USD 633,400.00

*** All options marked below with an X are included in the Wirtgen America standard specification. The pricing above includes the pricing of all options marked with X.**

Preset

Operator's Stand

Operator's stand

Operator's stand without hardtop	Standard	2532546	USD	0.00
Hardtop in VÖGELE design		2532550	USD	12,243.00

Rear-view mirrors

Rearview mirror, 2 pieces, paver without hardtop		2280534	USD	1,214.00
--	--	---------	-----	----------

Electrical System					
Working lights					
Working lights, halogen	Standard		WX3214048	USD	0.00
Working lights, LED	Option incl. in standard specification	X	WX3214051	USD	3,971.00
Extra working light					
Working light for auger tunnel, 2 pieces	Standard		2435467	USD	0.00
Light balloons					
Light balloon, LED, 1 piece <i>For extensive and non-glare lighting of night-time job sites.</i> <i>(Requires the Schuko Power Outlet option)</i>			2663085	USD	6,486.00
Bracket for light balloon					
Bracket for LED light balloon, 2 pieces			2663084	USD	557.00
Sockets					
Socket outlet 12 V, 2 pieces	Standard		2479680	USD	0.00
Socket outlet 24 V, 2 pieces			2479637	USD	-371.00
Rotary beacons					
All-round beacon, 1 piece, paver without hardtop	Standard		2430369	USD	0.00
Reverse beeper					
Reverse beeper, acoustic	Standard		2322161	USD	0.00
Material Transport					
Limiting plates for auger tunnel					
Power Tunnel	Option incl. in standard specification	X	2441002	USD	7,657.00
Limiting Plate for Auger Tunnel, 3 ft. 3 in. (1 m)			2557928	USD	1,371.00

Material transport					
Material transport; standard	Standard		2430177	USD	0.00
Heavy-duty kit			2476651	USD	6,371.00
Push-rollers					
Push-rollers	Standard		2239987	USD	0.00
Truck Hitch			2430121	USD	10,986.00
Grade And Slope Control					
Automatic grade and slope control					
NIVELTRONIC Plus	Option incl. in standard specification	X	WX3227646	USD	7,229.00
Niveltronic Plus 3D			WX3227647	USD	11,729.00
Interface for external grade and slope control					
Interface for external grade and slope control			WX3227082	USD	1,357.00
Slope Sensor					
Slope Sensor	Option incl. in standard specification	X	2090106	USD	2,414.00
Bracket for grade sensor					
Bracket for grade sensor at VF screed, 1 piece <i>For attachment of a mechanical or sonic grade sensor.</i>			2577444	USD	714.00
Bracket for grade sensor at VF screed, 2 pieces	Option incl. in standard specification	X	2577444	USD	1,429.00
Bracket, attachment of grade sensor to screed arm					
Mounting kit to attach the bracket for the grade sensor for VF screed to the screed arm, 1 piece			2577447	USD	86.00
Mounting kits to attach the bracket for the grade sensor for VF screed to the screed arm, 2 pieces			2577447	USD	157.00

Variable mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit			2373945	USD	5,171.00
Variable mechanical grade sensor (Dash 3), 2 units			2373945	USD	10,343.00
Ski 6 ft. 7 in.					
Ski 2 m, 1 piece			2373947	USD	214.00
Ski 2 m, 2 pieces			2373947	USD	414.00
Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece			2537890	USD	5,400.00
Single-cell sonic sensor, 2 pieces			2537890	USD	10,814.00
Multi-Cell Sonic Sensor					
Multi-cell sonic sensor, 1 units			2516875	USD	6,557.00
Multi-cell sonic sensor (Dash 3), 2 units	Option incl. in standard specification	X	2516875	USD	13,100.00
Big MultiPlex Ski					
Big MultiPlex Ski, 1 piece			2628381	USD	34,214.00
Big MultiPlex Ski, 2 pieces			2628381	USD	68,429.00
Big MultiPlex Ski, electronic					
Big MultiPlex Ski, electronic			2555067	USD	20,071.00
Tractor Unit / Screed Interface					
Screed lock					
Screed lock, manual	Standard		2284816	USD	0.00
Screed lock, hydraulic	Option incl. in standard specification	X	2526727	USD	1,486.00

Screed Arm Guidance					
Standard Guide for Screed Arm	Standard		2353206	USD	0.00
Guide rollers for screed arm	Option incl. in standard specification	X	2330994	USD	1,457.00
Screed Assist					
Screed Assist	Option incl. in standard specification	X	2343903	USD	1,929.00
Machine ascent					
Ascent for tractor unit without screed			2879596	USD	843.00
Others					
Low-emissions package					
EcoPlus low-emissions package	Standard		2531632	USD	0.00
Traction drive					
Traction drive (6x4)	Standard		2430220	USD	0.00
Traction drive (6x6)			2430222	USD	12,100.00
Washdown system					
Washdown system with tank and hose reel	Standard		2446840	USD	0.00
Tools					
Tools			2324048	USD	671.00
Packing					
Packing for transport by sea	Standard		2430137	USD	0.00
Paint finish					
Paint finish, standard VÖGELE Green	Standard		2430129	USD	0.00
Paint finish, client's design			2430131	USD	2,957.00
Grease filling, lubrication system					
Adapter for connecting grease gun			2599927	USD	700.00

Ventilation system					
Ventilation system, machine without hardtop	Standard	2419624		USD	0.00
Maintenance kit					
Maintenance kit, 50 service hours		2318759		USD	343.00
Maintenance kit, 500 service hours		2484564		USD	500.00
Maintenance kit, 1,000 service hours		3110034		USD	843.00
WITOS FleetView Telematics System					
<p>WITOS FleetView – professional telematics solution to optimize machine use and servicing</p> <p><i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine type). The availability of WITOS FleetView is guaranteed for 3 years from the date of delivery.</i></p>	Standard	2821744		USD	0.00
Screed Options					
Measuring sensors, screed					
Display of vibration speed		2557665		USD	1,043.00
Extending unit, right side					
Extending unit without berm, right	Standard	2680077		USD	0.00
Berme 305 mm (12"), RH		3026068		USD	3,743.00
Berme 457 mm (18"), RH		3026072		USD	4,557.00

Extending unit, left side					
Extending unit without berm, left	Standard		2680072	USD	0.00
Berme 305 mm (12"), LH			3026066	USD	3,743.00
Berme 457 mm (18"), LH			3026069	USD	4,557.00
Heating rod for end gate ski, 2 pieces					
Heating rod for end gate ski, 2 pieces	Option incl. in standard specification	X	2153616	USD	1,157.00
System for Paving Width Reduction					
Cut-off shoes, 6 in., 2 pieces			2582912	USD	729.00
Cut-off shoes, 6 in., 4 pieces			2582913	USD	1,257.00
Cut-off shoes, 6 in., 6 pieces			2582913	USD	1,800.00
Cut-off shoes, 6 in., 8 pieces			2582913	USD	2,329.00
Angle of attack adjustment					
Angle of attack adjustment, counterclockwise to increase mat thickness	Standard		2356943	USD	0.00
Angle of attack adjustment, clockwise to increase mat thickness			2356945	USD	0.00
Height adjustment, end gate					
Height adjustment of end gate, mechanical			3112721	USD	-5,829.00
Height adjustment of end gate, hydraulic	Standard		3112722	USD	0.00